

Reset Primaries

Reset DHW

10C/45C

10C/50C

10C/55C

10C/60C

Primaries			ΔT 35°C (10/45°C)				ΔT 40°C (10/50°C)				ΔT 45°C (10/55°C)				ΔT 50°C (10/60°C)				
primary circuit	primary circuit	primary circuit	primary circuit	primary circuit	heat exchanger	flowrate	primary circuit	primary circuit	heat exchanger	flowrate	primary circuit	primary circuit	heat exchanger	flowrate	4	primary circuit	heat exchanger	flowrate	
flow rate	flow rate	supply temp.	return temp.	pressure drop	max. capacity	DHW	return temp.	pressure drop	max. capacity	DHW	return temp.	pressure drop	max. capacity	DHW	return temp.	pressure drop	max. capacity	DHW	
m3/h	l/min	°C	°C	kPa	kW	l/min	°C	kPa	kW	l/min	°C	kPa	kW	l/min	°C	kPa	kW	l/min	
0.4	7	55	16.3	85.6	16	6.4	20.5	85.6	15	5.8	/	/	/	/	/	/	/	/	/
0.6	10	55	18.4	80.7	23	9.2	23.3	80.7	20	7.9	/	/	/	/	/	/	/	/	/
0.8	13	55	20.0	75	29	11.5	25.3	75	26	7.11	/	/	/	/	/	/	/	/	/
1	17	55	20.2	67	36	14.3	25.5	67	32	9	/	/	/	/	/	/	/	/	/
1.3	22	55	23.0	58	49	18.3	26.2	58	39	14.0	/	/	/	/	/	/	/	/	/
0.4	7	60	14.2	85.4	19	7.4	16.3	85.4	18	6.2	21.1	85.4	16	4.9	/	/	/	/	/
0.6	10	60	17.4	80.6	26	10.6	19.7	80.6	25	8.8	24.6	80.6	22	7.0	/	/	/	/	/
0.8	13	60	17.7	74.5	34	13.5	21.1	74.5	31	11.1	26.4	74.5	28	8.9	/	/	/	/	/
1	17	60	19.0	66.9	42	17.0	22.8	66.9	40	14.0	28.2	66.9	35	11.1	/	/	/	/	/
1.3	22	60	22.6	57.8	59	21.2	25.0	57.8	53	17.6	31.0	57.8	47	13.8	/	/	/	/	/
0.4	7	65	13.4	85.4	20	8.0	15.62	85.4	19	6.8	18.5	85.4	19	5.8	23.4	85.4	18	5.1	5.1
0.6	10	65	15.2	80.5	30	12.2	18.15	80.5	28	10.1	20.5	80.5	27	8.3	26.6	80.5	24	6.8	6.8
0.8	13	65	16.8	74.4	39	15.9	19.25	74.4	38	13.3	22.7	74.4	35	11.2	29.6	74.4	30	8.6	8.6
1	17	65	17.4	66.9	48	19.2	20.24	66.9	47	15.9	24.4	66.9	42	13.2	31.2	66.9	37	10.4	10.4
1.3	22	65	18.5	57.7	61	23.4	22.88	57.7	57	19.6	28.9	57.7	50	15.8	35.8	57.7	43	12.9	12.9
0.4	7	70	14.0	85.4	23	9.6	15.3	85.4	22	8.0	16.9	85.4	22	6.9	19.47	85.4	21	5.9	5.9
0.6	10	70	15.2	80.4	34	14.2	16.7	80.4	33	12.1	18.7	80.4	32	10.3	21.78	80.4	30	8.3	8.3
0.8	13	70	16.1	73.8	44	18.4	17.6	73.8	43	15.7	20.4	73.8	41	13.2	23.76	73.8	38	10.7	10.7
1	17	70	17.4	66.7	55	22.0	18.3	66.7	53	18.7	21.0	66.7	50	15.9	25.85	66.7	46	12.8	12.8
1.3	22	70	19.1	57.5	66	26.1	19.5	57.5	65	22.7	22.4	57.5	63	18.8	28.49	57.5	58	15.8	15.8
0.4	7	75	11.7	85.2	25	9.8	12.8	85.2	25	8.6	15.4	85.2	24	7.6	17.9	85.2	23	6.5	6.5
0.6	10	75	13.9	80	37	14.9	15.3	80	36	12.8	17.1	80	35	11.0	20.4	80	33	9.4	9.4
0.8	13	75	14.7	73.4	49	19.6	16.3	73.4	48	16.8	18.2	73.4	46	14.5	22.6	73.4	43	12.2	12.2
1	17	75	15.8	66.4	59	24.0	17.3	66.4	58	20.4	19.7	66.4	56	17.4	24.3	66.4	53	14.9	14.9
1.3	22	75	17.2	57.4	74	30.1	18.8	57.4	70	25.1	22.2	57.4	67	20.9	27.8	57.4	66	19.8	19.8
0.4	7	80	12.8	85	26	10.6	12.8	85	26	9.1	14.0	85	26	8.0	14.6	85	25	7.0	7.0
0.6	10	80	13.6	79.9	39	16.1	14.5	79.9	39	13.8	16.0	79.9	38	12.0	18.3	79.9	37	10.4	10.4
0.8	13	80	14.5	73	51	20.6	16.3	73	50	17.8	17.9	73	49	15.5	21.3	73	48	13.6	13.6
1	17	80	15.5	66.2	64	25.7	17.2	66.2	63	22.4	19.5	66.2	61	19.5	23.4	66.2	59	16.8	16.8
1.3	22	80	16.9	57.4	83	31.9	18.4	57.4	81	28.5	21.9	57.4	77	24.8	26.5	57.4	73	21.9	21.9
0.4	7	85	11.6	84.8	31	12.4	12.2	84.8	31	10.8	13.2	84.8	30	9.5	14.3	84.8	29	8.2	8.2
0.6	10	85	12.5	79.6	47	18.7	13.5	79.6	45	15.8	14.6	79.6	44	13.7	16.4	79.6	43	12.0	12.0
0.8	13	85	13.8	72.9	59	23.5	14.4	72.9	58	20.1	15.5	72.9	57	17.6	17.2	72.9	56	15.6	15.6
1	17	85	15.6	57	71	27.5	16.3	57	69	24.0	16.5	57	67	21.2	18.9	57	66	19.4	19.4

55C

60C

65C

70C

75C

80C

85C